

Benadryl (diphenhydramine HCl) Dosage chart

Give the weight appropriate dosage listed below every 4-6 hours as needed, or as recommended by your Pediatrician

Weight (lbs)	Elixir (12.5 mg per teaspoon/5ml)	FastMelt Chewable (12.5 mg tabs)	Tablets/Capsules & Quick Dissolve Strips (25mg tab/strip)
8-9	1.25 ml ($\frac{1}{4}$ tsp)		
10-11	2 ml		
12-16	2.5 ml ($\frac{1}{2}$ tsp)		
17-21	3.75 ml ($\frac{3}{4}$ tsp)		
22-25	4 ml		
26-33	5ml (1 tsp)	1 FastMelt	
33-39	6 ml	1 FastMelt	
40-45	7 ml (1 $\frac{1}{2}$ tsp)	1 $\frac{1}{2}$ FastMelts	
46-52	9 ml	1 $\frac{1}{2}$ FastMelts	
53-58	10 ml (2 tsp)	2 FastMelts	1 tab/cap/strip
59-65	11 ml	2 FastMelts	1 tab/cap/strip
66-72	12ml (2 $\frac{1}{2}$ tsp)	2 $\frac{1}{2}$ FastMelts	1 $\frac{1}{2}$ tabs/caps/strips
73-80	14 ml	2 $\frac{1}{2}$ FastMelts	1 $\frac{1}{2}$ tabs/caps/strips
81-88	15 ml (3 tsp)	3 FastMelts	1 $\frac{1}{2}$ tabs/caps/strips
89-99	17 ml	3 FastMelts	2 tabs/caps/strips
100-109	18 ml	4 FastMelts	2 tabs/caps/strips
≥110	20 ml (4 tsp)	4 FastMelts	2 tabs/caps/strips