

Haymarket Pediatrics Fever Reducer/Pain Reliever Dosing Instructions

*Please remember dosing is more accurately based on weight than age

*Tylenol® / acetaminophen doses should be **4-6 hrs** apart, Do not exceed more than 5 doses in 24 hrs

Infant (Age 0-36months) Tylenol®/Acetaminophen Dosing		
Weight	Age	Oral Suspension 160mg/5mL
6-11 lbs	0-3 months	1.25 mL
12-17 lbs	4-11 months	2.5 mL
18-23 lbs	12-23 months	3.75 mL
24-35 lbs	24-36 months	5 mL

Children (Age 2 yrs-12 yrs) Tylenol®/Acetaminophen Dosing				
Weight	Age	Children's Suspension 160mg/5mL	Children's Chewable Tablets 80mg each	Junior Strength Chewable Tablets 160mg each
24-35 lbs	2-3 yrs	1 tsp or 5 mL	2	-
36-47 lbs	4-5 yrs	1 ½ tsp or 7.5 mL	3	-
48-59 lbs	6-8 yrs	2 tsp or 10 mL	4	2
60-71 lbs	9-10 yrs	2 ½ tsp or 12.5 mL	5	2 ½
72-95 lbs	11 yrs	3 tsp or 15 mL	6	3
95 lbs & over	12 yrs			4

*Motrin® / ibuprofen doses should be **6-8 hrs** apart, Do not exceed more than 4 doses in 24hrs

*Motrin® or ibuprofen should **NOT** to be given to children less than 6 months of age

Infant/Children (Age 6 months- 12 yrs) Motrin®/Ibuprofen Dosing						
Weight	Age	Infant Concentrated Drops 50 mg/1.25 mL	Children's Suspension 100mg/5mL	Children's Chewable Tablets 50 mg each	Junior Strength Chewable 100 mg each	Junior Strength Caplets 100 mg each
12-17 lbs	6-11 m	1.25 mL	-	-	-	-
18-23 lbs	12-23 m	1.875 mL	-	-	-	-
24-35 lbs	2-3 yrs	-	1 tsp or 5 mL	2	1	-
36-47 lbs	4-5 yrs	-	1 ½ tsp or 7.5 mL	3	1 ½	-
48-59 lbs	6-8 yrs	-	2 tsp or 10 mL	4	2	2
60-71 lbs	9-10 yrs	-	2 ½ tsp or 12.5 mL	5	2 ½	2 ½
72-95 lbs	11 yrs	-	3 tsp or 15 mL	6	3	3

***If you have any questions regarding dosing or appropriateness of medicines, please call us at 703-753-1895

Remember to keep all medicines out of the reach of children